

U.S.Department of Transportation

The U.S.Department of Transportation's

Comprehensive Truck Size and Weight Study

DRAFT



DEC 30 1998 DRAFT

TABLE OF CONTENTS

LIST OF ACRONYMS

PART I INTRODUCTION AND OVERVIEW

CHAPTER .	I:]	INTR	ODU	CTI	ON

INTRODUCTION.....

STUDY PURPOSE.	1-3
STUDY APPROACH.	1-3
Internal Departmental Coordination	1-5
Federal Highway Cost Allocation Study	1-6
Ongoing Truck Size and Weight Research Effort	1-7
Public Outreach	
STUDY PRESENTATION	1-7
Overview	1-7
Organization of Volume III	1-8
CHAPTER 2: ANALYTICAL FRAMEWORK	
INTRODUCTION	
TECHNICAL FOUNDATION.	
ILLUSTRATIVE SCENARIO DEVELOPMENT	
Configurations	
Networks and Geographic Units	
National Network for Large Trucks	
National Highway System	
Analytical Network for Longer Combination Vehicles	
SCENARIO DEFINITIONS.	2-10
ILLUSTRATIVE SCENARIOS.	2-10
Base Case	2-10
Uniformity Scenario	
North American Trade Scenario.	2-11
Longer Combination Vehicles Nationwide Scenario	2-12

Special Request Policy Scenarios	2-12
H.R. 551 Scenario.	2-12
Triples Nationwide Scenario	2-12
IMPACT AREAS.	
Freight Diversion	2-12
Highway Agency Costs	
Pavement	
Bridge	2-13
Roadway Geometry	
Safety	
Traffic Operations	
Environmental Quality and Energy Consumption	
Rail Impacts and Shipper Costs	
CHAPTER 3: SCENARIO DESCRIPTIONS	
Introduction	
CORE SCENARIOS.	
Base Case.	
Introduction	
Scenario Specifications	
Uniformity Scenario	
Historical Perspective	
Scenario Specifications	
North American Trade Scenario	3-10
Background Policy Related Issues	3-11
Scenario Specifications	3-16
Longer Combination Vehicles Nationwide Scenario	3-18
Background: Vehicle Descriptions	3-21
Scenario Description	3-22
POLICY EVALUATION SCENARIOS	3-24
H.R. 551	3-24
H.R. 551 Provisions and Background	3-24
Scenario Specifications	3-26
Triples Nationwide Scenario	
The Vehicles	3-28
The Networks	3-28
Access Provisions	3-29
U.S. Department of Transportation's Comprehensive Truck Size	and Weight Study

Volume III – Scenario Analysis

ii

PART II FREIGHT DISTRIBUTION

CHAPTER 4: FREIGHT DISTRIBUTION

Introduction	4-1
ANALYTICAL APPROACH	4-1
Rail and Truck Base Case Traffic	4-1
Diversion	4-3
Truck-to-Truck Diversion	
Rail-to-Truck Diversion	4-6
ANALYTICAL MODELS	4-7
Short-Haul Truck Analysis	4-8
Long-Haul Truck and Rail Analysis	4-8
Model Decision Making Process	4-8
Input Data	4-11
Weight Distribution	4-15
ASSESSMENT OF SCENARIO IMPACTS.	4-16
Uniformity Scenario	4-16
North American Trade Scenarios	4-19
44,000-Pound Tridem-Axle	4-19
51,000-Pound Tridem-Axle	4-22
Longer Combination Vehicles Nationwide Scenario	4-26
Truck-to-Truck Diversion	4-28
Rail Carload-to-Truck Diversion	4-29
Rail Intermodal-to-Truck Diversion	4-29
H.R. 551 Scenario	4-30
Triple-Trailer Combination Nationwide Scenario	4-32
Truck-to-Truck Diversion	4-33
Rail Carload-to-Truck Diversion	4-33
Rail Intermodal-to-Truck Diversion	4-34

PART III AGENCY COSTS

CHAPTER 5: PAVEMENT

BASIC PRINCIPLES.	5-2
Truck-Pavement Interactions	
Pavement Life Consumption	5-2
ANALYTICAL APPROACH	5-9
Tridem-Axle Impact Research	
The National Pavement Cost Model	
Overview	
Input Data	
Pavement Deterioration Models	
Cost Calculations	
ASSESSMENT OF SCENARIO IMPACTS	
Uniformity Scenario	
North American Trade Scenarios	5-15
Longer Combination Vehicles Nationwide Scenario	5-15
H.R. 551 Scenario	5-16
Triples Nationwide Scenario	
11.pics 114	
Chapter 6: Bridge	
INTRODUCTION	
BASIC PRINCIPLES.	
Truck-Bridge Interaction	
Bridge Impact Criteria	
ANALYTICAL APPROACH	
Overview	
Bridge Replacement	6-8
Model Inputs	
Over-Stress Criteria	
Analytical Parameters	
User Costs	6-9
ASSESSMENT OF SCENARIO IMPACTS	6-9
Uniformity Scenario	6-11
North American Trade Scenarios	6-11
Longer Combination Vehicles Nationwide Scenario	6-12
H.R. 551 Scenario	6-12
Triples Nationwide Scenario	6-12
CHAPTER 7: ROADWAY GEOMETRY	
Introduction	7-1
	- J Waish Card
U.S. Department of Transportation's Comprehensive Truck Size iv Volume III — Scenario Analysis	ana weight Study
1 Andre Try Depres to tries land	

BASIC PRINCIPALS	7-1
Truck Turning Characteristics	7-1
Low-Speed Offtracking	7-1
High-Speed Offtracking	7-2
Roadway Geometry and Truck Operations	
Intersections	
Interchange Ramps	7-4
Horizontal Curvature	7-4
ANALYTICAL APPROACH	7-4
Vehicle Offtracking Performance	7-6
Geometric Impacts	7-8
Staging Areas	7-9
Costs	7-9
Geometric Improvements	7-9
Staging Areas	7-11
ASSESSMENT OF SCENARIO IMPACTS	7-11
Uniformity Scenario	7-13
North American Trade Scenarios	7-13
Longer Combination Vehicles Nationwide Scenario	7-13
H.R. 551 Scenario	7-13
Triples Nationwide Scenario	7-13
PART IV EXTERNALITIES	
CHAPTER 8: SAFETY	
Introduction	8-1
LARGER AND HEAVIER TRUCK CRASH PATTERNS	8-2
VEHICLE STABILITY AND CONTROL PERFORMANCE	
Vehicle Stability	
Steady-State Turn Induced Rollover	8-9
Evasive Maneuver-Induced Rollover	8-10
Vehicle Control	
Vehicle Control	es 8-12
Comparison of Stability and Control Performance Characteristic	cs8-12
Comparison of Stability and Control Performance Characteristic	cs8-12
Comparison of Stability and Control Performance Characteristic ASSESSMENT OF SCENARIO IMPACTS	cs8-12
Comparison of Stability and Control Performance Characteristic	cs8-12
Comparison of Stability and Control Performance Characteristic ASSESSMENT OF SCENARIO IMPACTS	8-12 8-15

DRAFT

BASIC PRINCIPLES.	9-1
Traffic Congestion	
Other Traffic Effects	
Offtracking	
Passing or Being Passed on Two-Lane Roads	
Vehicle Acceleration	
Lane Changing	
Intersection Requirements	
ANALYTICAL APPROACH	
ASSESSMENT OF SCENARIO IMPACTS.	
Uniformity Scenario	
North American Trade Scenarios	0_0
Longer Combination Vehicles Nationwide Scenario	
H.R. 551 Scenario	
H.K. 551 Scenario	0.17
Triples Nationwide Scenario	
CHAPTER 10: ENERGY AND ENVIRONMENT	
Introduction	10-1
BASIC PRINCIPLES	
Energy Consumption	10-1
Air Quality	10-1
Noise Emissions	10-3
ANALYTICAL APPROACH	
Energy Consumption	10-3
Air Quality	10-3
Noise Emissions.	10-3
ASSESSMENT OF SCENARIO IMPACTS.	
Uniformity Scenario	
North American Trade Scenarios	10-5
Longer Combination Vehicles Nationwide Scenario	10-9
H.R. 551 Scenario	10-11
H.K. 551 Scenario	10-11
Triples Nationwide Scenario	10-12
PART V	
ECONOMIC	
CHAPTER 11: RAIL	
-	11 1
Introduction	11-1
	Voight Stady
U.S. Department of Transportation's Comprehensive Truck Size and V Vi Volume III — Scenario Analysis	veignt Study
DDAF	-

RASIC PRINCIPLES	11-2
Overview of Class I Rail Industry	
Financial Performance and Impli	cations11-4
METHODOLOGY	11-4
Study Caveats	11-8
ASSESSMENT OF SCENADIO IMPACTS	11-11
	11-10
	11-10
	11-10
51,000 Pound Tridem Ande	
51,000-Pound Indem-Axie.	:id-Compuis 11_13
Longer Combination Venicles Nat	ionwide Scenario11-13
H.R. 551 Scenario	
Triples Nationwide Scenario	
INTERPRETATION OF RESULTS	11-18
Railroad Response	
Rate Increases Necessary to	Replace Contribution
Erosion of Financial Strengt	h11-19
CHAPTER 12: SHIPPER COSTS	
INTERODUCTION	12-1
DAGIC DRINGING ES	12-1
Transportation Costs	
Inventory Costs	12-1
Deletionship Detryon Transports	tion and Inventory Costs
Relationship between Transporta	12-2
ANALYTICAL APPROACH	12-3
Uniformity Scenario	12-3
44,000-Pound Tridem-Axle.	12-4
51,000-Pound Tridem-Axle.	12-4
Longer Combination Vehicles Nat	tionwide Scenario12-5
H.R.551 Scenario	12-5
Triples Nationwide Scenario	
APPENDIX	
NOMENCLATURE COMPARISON	
1997 HIGHWAY COST ALLOCATION AND	
	GHT STUDYA-1
COMPREHENSIVE TRUCK SIZE AND WER	311 S1 UD1
U.S. Department of Transportation	a's Comprehensive Truck Size and Weight Study
	able of Contents V11
DEC 30 1998	DRAFT

LIST OF EXHIBITS

PART I INTRODUCTION AND OVERVIEW

CHAPTER 1: Introduction	
<u> </u>	
EXHIBIT 1-1	
2000 Federal Cost Responsibility and User Fees by Vehicle Class	1-6
CHAPTER 2: ANALYTICAL FRAMEWORK	
EXHIBIT 2-1	
1998 Comprehensive Truck Size and Weight Study	
Analytical Framework	
Overview	2-2
Ехнівіт 2-2	
1998 Comprehensive Truck Size and Weight Study	
Illustrative Truck Configurations	2-5
Ехнівіт 2-3	
National Network for Large Trucks.	2-7
EXHIBIT 2-4	
The National Highway System	2-8
Ехнівіт 2-5	
1998 Comprehensive Truck Size and Weight Study	
Analytical Network for Longer Combination Double-Trailer Vehicles	2-9
EXHIBIT 2-6	
1998 Comprehensive Truck Size and Weight Study	
Analytical Network for Longer Combination Triple-Trailer Vehicles	2-9

viii

CHAPTER 3: SCENARIO DESCRIPTIONS **EXHIBIT 3-1** Commercial Vehicles Vehicle and Travel Distribution **EXHIBIT 3-2 EXHIBIT 3-3** Comprehensive Truck Size and Weight Study Analysis Regions.......3-6 **EXHIBIT 3-4 EXHIBIT 3-5 EXHIBIT 3-6** Maximum Single-Axle and Tandem-Axle Weight Limits **EXHIBIT 3-7** Container Port Traffic......3-14 **EXHIBIT 3-8** EXHIBIT 3-9 **EXHIBIT 3-10 EXHIBIT 3-11 EXHIBIT 3-12** State Permitting of Overweight Loads U.S. Department of Transportation's Comprehensive Truck Size and Weight Study

List of Exhibits

ix

PART II FREIGHT DISTRIBUTION

CHAPTER 4: FREIGHT DISTRIBUTION **EXHIBIT 4-1 EXHIBIT 4-2** Five-Axle Tractor Semitrailer Diversion Options......4-5 EXHIBIT 4-3 EXHIBIT 4-4 Intermodal Transportation and Inventory Cost Model......4-9 EXHIBIT 4-5 Weight Distribution Example Base Case and Uniformity Scenario Four-Axle Single Unit Truck 4-15 **EXHIBIT 4-6** Uniformity Scenario Likely Truck Configuration......4-17 **EXHIBIT 4-7** Comparison of Vehicle-Miles-of-Travel (Year 2000) Base Case and Uniformity Scenario Single Unit Trucks, Truck-Trailers and Tractor-Semi-Trailer Combinations.......4-18 **EXHIBIT 4-8** Comparison of Vehicle-Miles-of-Travel (Year 2000) EXHIBIT 4-9 Total Vehicle-Miles-of-Travel Impact Base Case and Uniformity Scenario......4-19

X

U.S. Department of Transportation's Comprehensive Truck Size and Weight Study List of Exhibits Xi
Base Case and Longer Combination Vehicles Nationwide Scenario4-28
EXHIBIT 4-18 Total Vehicle-Miles-of-Travel Impact
Comparison of Vehicle-Miles-of-Travel (Year 2000) Base Case and Longer Combination Vehicles Nationwide Scenario
Ехнівіт 4-17
Longer Combination Vehicles Nationwide Scenario Likely Truck Configuration Impacts4-26
EXHIBIT 4-16 Longer Combination Vehicles Nationwide Scenario
51-000-Pound Tridem-Axle4-24
Base Case and North American Trade Scenario
EXHIBIT 4-15 Total Vehicle-Miles-of-Travel Impact
51-000-Pound Tridem-Axle
Base Case and North American Trade Scenario
EXHIBIT 4-14 Comparison of Vehicle-Miles-of-Travel (Year 2000)
Likely Truck Configuration Impacts4-23
North American Trade Scenario with 51,000-Pound Tridem-Axle
Ехнівіт 4-13
44-000-Pound Tridem-Axle
Total Vehicle-Miles-of-Travel Impact Base Case and North American Trade Scenario
EXHIBIT 4-12
44-000-Pound Tridem-Axle 4-20
Base Case and North American Trade Scenario
EXHIBIT 4-11 Comparison Vehicle-Miles-of-Travel (Year 2000)
North American Trade Scenario with 44,000-Pound Tridem-Axle Likely Truck Configuration Impacts4-20
EXHIBIT 4-10

EXHIBIT 4-19	
H.R.551 Scenario	
Likely Truck Configuration Impacts	4-31
EXHIBIT 4-20	
Comparison of Vehicle-Miles-of-Travel (Year 2000)	
Base Case and H.R. 551 Scenario.	4-31
2400 0400 414 11.1.00 1 20014110	
EXHIBIT 4-21	
Total Vehicle-Miles-of-Travel Impact	
Base Case and H.R. 551 Scenario.	4-32
EXHIBIT 4-22	
Triples Nationwide Scenario	
Likely Truck Configuration Impacts	4-33
EXHIBIT 4-23	
Comparison of Vehicle-Miles-of-Travel for Base Case and	4.24
Triples Nationwide Scenario	4-34
Exercise 4.04	
EXHIBIT 4-24 Tatal Valida Miles of Travel Immedia	
Total Vehicle-Miles-of-Travel Impact Base Case and Triples Nationwide Scenario	4 34
Base Case and Imples Nationwide Scenario	4-34
PART III	
AGENCY COSTS	
Civi prop 5. Basins only	
CHAPTER 5: PAVEMENT	
EXHIBIT 5-1	
Relative Fatigue Versus Axle Load	5-3
Relative Fatigue Versus Axie Load	
EXHIBIT 5-2	
Theoretical Load Equivalency Factors of Various Axle Groups and L	oads for
Major Types of Rigid and Flexible Pavement Distress	
141ajor 1 ypes of regid and remote ravement biseless	
Ехнівіт 5-3	
Theoretical Load Equivalency Factors for Study Vehicle Configuration	ons
Major Types of Rigid and Flexible Pavement Distress	
· · · · · · · · · · · · · · · · · · ·	
U.S. Department of Transportation's Comprehensive Truck Siz	e and Weight Study
vii Volume III – Scenario Analysis	
DEC 30 1998	DRAFT

U.S. Department of Transportation's Comprehensive Truck Size and Weight Study List of Exhibits Xiii
The Five Truck Size and Weight Study Regions of the United States
EXHIBIT 7-5
Offtracking Characteristics for Trucks Turning Right at Typical Two-Lane Roadway Intersection
EXHIBIT 7-4
EXHIBIT 7-3 Basic Configurations Roadway Geometry Analysis
EXHIBIT 7-2 High-Speed Offtracking 7-3
EXHIBIT 7-1 Low-Speed Offtracking
CHAPTER 7: ROADWAY GEOMETRY
EXHIBIT 6-4 Scenario Bridge Impacts 6-11
EXHIBIT 6-3 Truck Configuration Parameters for Analysis of Bridge Impacts
EXHIBIT 6-2 Interaction of Bridge Span Length and Spacing of Truck Axle Groups6-4
EXHIBIT 6-1 Simple and Continuous Span Bridges6-3
CHAPTER 6: BRIDGE
EXHIBIT 5-5 Scenario Pavement Impacts5-14
Study Vehicle Configurations5-8
EXHIBIT 5-4 Theoretical Load Equivalency Factors per 100,000 pounds of Payload Carried by

DRAFT

DEC 30 1998

EXHIBIT 7-6 Roadway Geometry Costs by Truck Configuration	7-10
EXHIBIT 7-7 Scenario Roadway Geometry Impacts	7-12
PART IV EXTERNALITIES	
CHAPTER 8: SAFETY	
EXHIBIT 8-1 Fatal Crash Involvement Rates Personal Vehicles and Medium to Heavy Trucks, 1991-1995	8-3
EXHIBIT 8-2 Fatal Crash Rates for Personal Vehicles and Medium to Heavy Trucks by Roadway Functional Class, 1991-1995	8-4
EXHIBIT 8-3 Travel Distribution Patterns for Single Unit and Single and Multitrailer Combinations Typical for 1990's	8-5
EXHIBIT 8-4 Normalized Fatal Crash Rates Single and Multitrailer Combination Trucks, 1991-1995	8-6
EXHIBIT 8-5 Trucks Involved in Fatal Accidents on Interstate Highways, 1994	8-7
EXHIBIT 8-6 Trucks Involved in Fatal Accidents on Non-Interstate Highways, 1994	8-8
EXHIBIT 8-7 Trucks Involved in Fatal Accidents on All Roadways, 1994	8-8
EXHIBIT 8-8 Configuration Descriptions and Specifications	8-13
U.S. Department of Transportation's Comprehensive Truck Size and XiV Volume III – Scenario Analysis	d Weight Study
DEC 30 1998 DR	AFT

Ехнівіт 8-9	
Vehicle Safety Performance Comparison Relative to a Five-Ayle Tractor Semitrailer	8-14
Relative to a Tive-Plate Tractor Schittranor	
EXHIBIT 8-10	9.16
Exposure Change Associated with Each Scenari	io 8-16
Ехнівіт 8-11	
Comparison of Truck Use and Stability by Confi	guration 8-17
CHAPTER 9: TRAFFIC OPERATIONS	
EXHIBIT 9-1 Valida Passanger Car Equivalenta Pural High	hways9-2
Venicie Passengei Cai Equivalents, Rufai Ing	ilways
EXHIBIT 9-2	0.2
Vehicle Passenger Car Equivalents, Urban Hig	hways9-3
Ехнівіт 9-3	
Speed Differentials and Crash Involvement	9-5
Ехнівіт 9-4	
	9-6
Ехнівіт 9-5	
	nits and Truck Operations9-8
T0.6	
EXHIBIT 9-6 Traffic Impacts. Uniformity Scenario	9-10
EXHIBIT 9-7 Traffic Impacts North American Trade Scene	rios9-11
Traine impacts, North American Trade Scena	1105
Ехнівіт 9-8	
Traffic Impacts, Longer Combination Vehicles	s Nationwide Scenario9-12
Ехнівіт 9-9	
Traffic Impacts, H.R.551 Scenario	9-13
Ехнівіт 9-10	•
Traffic Impacts, Triples Nationwide Scenario.	9-14
	Comprehensive Truck Size and Weight Study of Exhibits XV
DEC 30 1998	DRAFT
UEC 30 1330	UNALL

CHAPTER 10: ENERGY AND ENVIRONMENT **EXHIBIT 10-1 EXHIBIT 10-2** Air Pollutant Emission Rates 10-2 **EXHIBIT 10-3 EXHIBIT 10-4** Vehicle-Miles-of-Travel by Configuration Affected, Uniformity Scenario......10-6 **EXHIBIT 10-5** EXHIBIT 10-6 Vehicle-Miles-of-Travel by Configuration Affected **EXHIBIT 10-7** Vehicle-Miles-of-Travel by Configuration Affected **EXHIBIT 10-8 Energy and Environmental Impacts EXHIBIT 10-9** Energy and Environmental Impacts, **EXHIBIT 10-10** Vehicle-Miles-of-Travel by Configuration Affected **EXHIBIT 10-11 Energy and Environmental Impacts** U.S. Department of Transportation's Comprehensive Truck Size and Weight Study Volume III - Scenario Analysis xvi

DFC 30 1998

DRAFT

EXHIBIT 10-12 Vehicle-Miles-of-Travel by Configuration Affected, H.R.551 Scenario10-11
EXHIBIT 10-13 Energy and Environmental Impacts, H.R. 551 Scenario
EXHIBIT 10-14 Vehicle-Miles-of-Travel by Configuration Affected, Triples Nationwide Scenario10-12
EXHIBIT 10-15 Energy and Environmental Impacts, Triples Nationwide Scenario
PART V ECONOMIC
CHAPTER 11: RAIL
EXHIBIT 11-1 Integrated Financial Model
EXHIBIT 11-2 Industry and Railroad Cost Elasticities
EXHIBIT 11-3 Railroad Cost Studies 11-9
EXHIBIT 11-4 Base Case Scenario Revenues, Freight Service Expense, Contribution, and ROI
EXHIBIT 11-5 North American Trade Scenario with 44,000-Pound Tridem Scenario Lost Revenues, Freight Service Expense, and Contribution
EXHIBIT 11-6 North American Trade Scenario with 44,000-Pound Tridem Scenario Car Miles, Freight Service Expense Rail Revenue from Operations, Contributions, and ROI
U.S. Department of Transportation's Comprehensive Truck Size and Weight Study List of Exhibits Xvii
DEC 30 1998 DRAFT

DEC 30 1998	DRAFT
xviii Volume III – Scenario Analys	
U.S. Department of Transportation's Comprehensive Tr	ruck Size and Weight Study
,	
Truck Shipper Transportation Savings (Costs) Per Year	12-4
Ехнівіт 12-1	
CHAPTER 12: SHIPPER COSTS	
Rail Revenue from Operations, Contributions, and ROI	11-17
Car Miles, Freight Service Expense	
EXHIBIT 11-12 Triples Nationwide Scenario	
T	
Lost Revenues, Freight Service Expense, and Contribution	11-17
Triples Nationwide Scenario	
Ехнівіт 11-11	
Rail Revenue from Operations, Contributions, and ROI	11-15
Car Miles, Freight Service Expense	
LCVs Nationwide Scenario	
Ехнівіт 11-10	
Lost Revenues, Freight Service Expense, and Contribution	11-14
LCVs Nationwide Scenario	
Exhibit 11-9	
Rail Revenue from Operations, Contributions, and ROI	11-14
North American Trade Scenario with 51,000-Pound Tridem S Car Miles, Freight Service Expense	Scenario
Exhibit 11-8	
. ,	
Lost Revenues, Freight Service Expense, and Contribution	
North American Trade Scenario with 51,000-Pound Tridem S	

Exhibit 11-7

LIST OF BOXES

PART I INTRODUCTION AND OVERVIEW

CHAPTER 1: INTRODUCTION	
Current Federal Truck Size and Weight Limits	1-1
Federal Truck Size and Weight Law Considerations	1-2
Federal Truck Size and Weight Studies Since the 1980s	1-4
National Freight Transportation Policy Statement (January 1997)	1-5
CHAPTER 2: ANALYTICAL FRAMEWORK	
Working Papers	2-1
Truck Size and Weight Analytical Process	2-3
Current Federal Truck Size and Weight Limits	2-10
Tridem Axles	2-11
Weigh-Out vs. Cube-Out Freight	2-13
Pavement Life	2-13
Interrelationship of Contributory Truck Crash Factors	2-15
Vehicle Stability and Control Impacts	2-15
CHAPTER 3: SCENARIO DESCRIPTIONS	
Study Scenarios - Overview	3-1
Grandfathered Semitrailer Lengths	3-2

U.S. Department of Transportation's Comprehensive Truck Size and Weight Study

List of Boxes

xix

Permits: Divisible and NonDivisible Load
Uniformity Scenario
Nondivisible Load permits for International Containers
North American Trade Scenario with 44,000-Pound Tridem-Axle
North American Trade Scenario with 51,000-Pound Tridem-Axle
The International Surface Transportation Efficiency Act Freeze on Longer Combination Vehicles
Special Permits for the Operation of Longer Combination Vehicles
Longer Combination Vehicles Nationwide Scenario
Symms Amendment
H.R. 551 Scenario
Triples Nationwide Scenario
PART II FREIGHT DISTRIBUTION
CHAPTER 4: FREIGHT DISTRIBUTION
The Surface Transportation Board's Waybill Sample
Five-Axle Tractor Semitrailers4-4
Rail Intermodal Equipment4-6
Rail Carload Equipment4-7
Truck and Rail Mode Choice 4-10
Intermodal Transportation and Inventory Cost Model Development4-11
Diversion of Freight Transported in Short Double-Trailer Combination Vehicles4-12
U.S. Department of Transportation's Comprehensive Truck Size and Weight Study
Volume III — Scenario Analysis
DEC 30 1998 DRAFT

U.S. Department of Transportation's Comprehensive Truck Size and Weight Study List of Boxes DRAFT DRAFT
V.C. D
Relationship of Overstress Criteria to Design Stress and Bridge Ratings6-6
H-15 and HS-20 Bridge Loadings
Moment 6-2
Structurally Delicion versus and an arrangement of the structural
CHAPTER 6: BRIDGE
Tridem Axle Infrastructure Impacts5-11
Use of Spread-Tandem versus Tridem Axle
Truck Operating Weights5-6
Flexible versus Rigid Pavements
American Association of State Highway Officials Road Test
Pavement Deterioration - Fatigue 5-2
CHAPTER 5: PAVEMENT
PART III AGENCY COSTS
to Analyze the H.R.551 Scenario4-32
Use of the Intermodal Transportation and Inventory Cost Model
Impact of Long-Doubles Network and Access Provisions4-30
Operating Restrictions4-29
Rail Intermodal Input Data4-25
Use of the Intermodal Transportation and Inventory Cost Model in Analyzing the Uniformity Scenario
Model Calibration 4-13

National Bridge Inventory6-8
CHAPTER 7: ROADWAY GEOMETRY
Kingpin Setting
Staging Areas7-5
Swept Path7-6
PART IV EXTERNALITIES
CHAPTER 8: SAFETY
Efforts to Establish Longer Combination Vehicle Crash Rates
Standard Evasive Maneuver
Controlling Vehicle Instability
CHAPTER 9: TRAFFIC OPERATIONS
Highway Performance Monitoring System9-5
CHAPTER 10: ENERGY AND ENVIRONMENT
Federal Highway Administration Highway Traffic Noise Prediction Model
PART V ECONOMIC
CHAPTER 11: RAIL
What is a Decreasing Cost Industry?
The Class I Railroad Industry
Restructuring of the Railroad Industry
U.S. Department of Transportation's Comprehensive Truck Size and Weight Study volume III – Scenario Analysis

Rail Revenues	11-4
Difference in Railroad Elasticities	11-7
Focus Railroads.	11-7
CHAPTER 12: SHIPPER COSTS	
Transportation Costs and Changes in Truck Sizes and Weights	12-1
Inventory Costs and Changes in Truck Sizes and Weights	12-2
•	

U.S. Department of Transportation's Comprehensive Truck Size and Weight Study

List of Boxes

xxiii

ACRONYM LIST

AAR — Association of American Railroads

AASHTO — American Association of State Highway and Transportation Officials

ABS — Antilock Braking System

c.g. — center of gravity

CFS — Commodity Flow Survey

CMV — Commercial Motor Vehicle

COFC — Container-on-Flat-Car

CTS&W — Comprehensive Truck Size and Weight

DOT — Department of Transportation

EPA — Environmental Protection Agency

FARS — Fatal Accident Reporting System

FBF — Federal Bridge Formula (Bridge Formula B)

FHWA — Federal Highway Administration

FSE — Freight Service Expense

GIS — Geographic Information System

GVW — Gross Vehicle Weight

HCA — Highway Cost Allocation

HPMS — Highway Performance Monitoring System

ISO — International Standards Organization

ISTEA — Intermodal Surface Transportation Efficiency Act of 1991

ITIC — Intermodal Transportation and Inventory Cost Model

LCV — Longer Combination Vehicle

- Less-than-Truckload LTL LTR — Load Transfer Ratio MAG — Multimodal Advisory Group NAFTA — North American Free Trade Agreement NATS — North American Transportation Survey — National Bridge Inventory NBI NHS - National Highway System - National Network for Large Trucks NN --- Nitrous Oxides NOX PCE — Passenger Car Equivalents PM - Particulate Matter POG — Policy Oversight Group RA — Rearward Amplification RMD - Rocky Mountain Double ROI — Return on Investment SAE — Society of Automotive Engineers SRS - Static Roll Stability — Five-axle double-trailer combination allowed by Surface Transportation STAA Double Act of 1982

STAA — Surface Transportation Assistance Act of 1982

STB — Surface Transportation Board

— Two-axle single unit truck SU2

— Three-axle single unit truck SU3

- Four or more axle single unit truck SU4

SUT — Single-unit truck

— To be determined TBD

— Truck Inventory and Use Survey TIUS TL - Truckload TOFC — Trailer-on-Flat-Car TPD — Turnpike Double — Transportation Research Board TRB — Truck Size and Weight TS&W — Vehicle-Miles-of-Travel VMT — Volatile Organic Compounds VOC — Three-axle tractor semitrailer with 2-axles on the tractor and 1-axle 2-S1 on the trailer - Three-axle tractor semitrailer with 2-axles on the tractor and 2-axles 2-S2 on the trailer — Five-axle tractor semitrailer with 3-axles on the tractor and 2-axles 3-S2 on the trailer — Five-axle tractor semitrailer with 3-axles on the tractor and 3-axles 3-S3 on the trailer - Five-axle double trailer combination with 2-axles on the tractor, 2-S1-2 1-axle on the first trailer, and 2-axles on the second trailer — Longer combination double trailer vehicle with 3-axles on the tractor, 3-S2-2 2-axles on the first trailer, and 2-axles on the second trailer — Longer combination double trailer vehicle with 3-axles on the tractor. 3-S2-4 2-axles on the first trailer, and 4-axles on the second trailer — Longer combination double trailer vehicle with 3-axles on the tractor, 3-S3-2 3-axles on the first trailer, and 2-axles on the second trailer - Triple-trailer combination with 2-axles on the tractor, 1-axle on the 2-S1-2-2 first trailer, 2-axles on the second trailer, and 2-axles on the third trailer